



**Fitting Instructions for SRG0003 Radiator Guard  
TRIUMPH TIGER 800 2011**



**In This Kit There Should Be  
1x Radiator Guard (SRG0003)  
1 x Cable/Zip Tie  
2x 100mm Lengths of Foam**



- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Undo and remove lower radiator mounting bolt shown in picture above right.
- Undo and remove upper radiator mounting bolt shown in picture above left.
- Offer the radiator guard into position and using original upper bolt secure the guard into position.
- Using the original lower bolt secure the guard and radiator into position.
- The cable tie goes through the slots at the top of the radiator guard and around the mounting brackets of the radiator as shown above left.
- Tighten all bolts.



**Instructions de montage  
SRG0003 protection de radiateur  
TRIUMPH TIGER 800 2011**



**Ce kit doit contenir:  
1x protection de radiateur (SRG0003)  
1 x câble de serrage  
2x longueurs de 100mm de mousse**



- Coupez des morceaux de mousse de 10 mm environ et placez ceux-ci sur la grille de protection (les mettre entre la grille et le radiateur).
- Enlevez la vis de fixation de radiateur inférieure (voir photo de droite).
- Enlevez la vis de fixation de radiateur supérieure (voir photo de gauche).
- Placez la protection de radiateur sur la moto et fixez la partie supérieure à l'aide de la vis d'origine.
- Fixez la partie inférieure à l'aide de la vis d'origine.
- Le câble en plastique sera a positionner dans le trou supérieur et celui-ci devra entourer les pattes de fixation du radiateur (fixation supérieures).
- Serrez les vis.



#### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



**Montageanleitung für SRG0003 Kühlerschutz  
TRIUMPH TIGER 800 2011**



**Dieser Kit beinhaltet:**  
**1x Kühlerschutz (SRG0003)**  
**1 x Kabelbinder**

**2x 100mm selbstklebende Schaumstoffstreifen**



- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoff-Streifen in 10 mm breite Streifen und kleben Sie diese auf der Rückseite des Kühlerschutzrahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Lösen und entfernen Sie untere Montageschraube für den Kühler, die oben rechts abgebildet ist.
- Lösen und entfernen Sie obere Montageschraube für den Kühler, die oben links abgebildet ist.
- Den Kühlerschutz in Position bringen und mit der Originalschraube oben befestigen.
- Mit der Originalschraube den Kühler und den Kühlerschutz unten befestigen.
- Den Kabelbinder durch die Öffnungen oben (am Kühlerschutz) einführen und um die Montagehalterungen binden, wie oben links abgebildet.
- Ziehen Sie alle Schrauben gleichmäßig fest.