




Fitting Instructions for SRG0021 Radiator Guard
HONDA CB1000R '08-



In This Kit There Should Be
1x Radiator Guard (SRG0021)
2x Cable Ties
2x 100mm Lengths of self-adhesive Foam



Picture 1



Picture 2



Picture 3



Picture 4



Picture 5

TOOLS REQUIRED

- Socket set to include 5mm A/F & 10mm socket & wrench.
 - Cable cutters.

FITTING INSTRUCTIONS

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove the four bolts that secure the plastic grille to the side of the radiator, as shown in picture 1. *There are two on each side of the bike.*
- Remove the bolt that mounts the bottom of the radiator in place, as shown in picture 2.
- Offer the R&G Radiator Guard into place by gently pulling the plastic grille away from the radiator and sliding the radiator guard up from below, between the radiator and the plastic grille, as shown in picture 3.



- With the R&G Radiator Guard in place, locate the original bolt through the lower mount on the radiator guard and the into the bottom mount of the radiator, before tightening, as shown in picture 4.
- Loop the two cable ties supplied through the upper mounts and around the upper radiator mounts, as shown in picture 5.
- Ensure the radiator guard is correctly mounted and tighten all bolts evenly.
- Re-fit the four original bolts to secure the plastic grille to the radiator.

ISSUE 1 28/10/2013 (AR)

CONSUMER NOTICE


The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



INSTRUCTIONS DE MONTAGE POUR SRG0021 Grille de protection radiateur
HONDA CB1000R '08-



Le kit doit contenir :
1x Grille de protection (SRG0021).
2x 100mm Mousse autocollante.
2x Colliers de serrage.





Photo 1



Photo 2



Photo 3



Photo 4

Photo 5

Outils requis

- Jeu de clés 5mm et 10mm.
- Pince coupante.

Instructions de montage :

- Couper la mousse autocollante en bandeaux de 10mm de large et collez les au bas du cadre de support protection radiateur, de façon à ce qu'ils se retrouvent entre la grille de protection et le radiateur.
- Enlever les 4 boulons qui fixent la grille (photo 1). Il y en a 2 de chaque coté de la moto.
- Enlever le boulon qui fixe le bas du radiateur en place (photo 2).



- Mettre la grille de radiateur R&G en place en extirpant doucement la grille en plastic du radiateur et en glissant la grille de protection par dessous, entre le radiateur et la grille en plastic (photo 3).
- Une fois la grille R&G en place, placer le boulon d'origine à travers le support inférieur de la grille de protection et dans le support inférieur du radiateur avant de serrer (Photo 4).
- Enrouler à l'aide des 2 colliers de serrage fournis à travers les supports supérieurs et autour des supports supérieurs de radiateur (Photo 5).
- Veiller à ce que la grille de protection soit correctement montée et serrer tous les boulons de façon égale.
- Remettre les 4 boulons d'origine pour fixer la grille de plastic au radiateur.

ISSUE 1 28/10/2013 (AR)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.


R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



Montageanleitung für den SRG0021 Kühlerschutz
HONDA CB1000R '08-



Dieser Kit enthält:

- 1x Kühlerschutz (SRG0021)
- 2x Kabelbinder
- 2x 100mm selbstklebende Schaumstoffstreifen





Abbildung 1



Abbildung 2



Abbildung 3



Abbildung 4

Abbildung 5

SIE BENÖTIGEN FOLGENDES WERKZEUG

- Steckschlüssel-Satz inkl. 5mm & 10mm Steckschlüssel
- Seitenschneider

MONTAGEANLEITUNG

- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoff-Streifen in 10 mm breite Streifen und kleben Sie diese auf der Rückseite des Kühlerschutzrahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Entfernen Sie die vier Schrauben, die das Plastikgitter an der Seite des Kühlers befestigen – siehe Abbildung 1. (*Es sind 2 Schrauben an jeder Seite*).
- Entfernen Sie die Schraube, die den Kühler unten befestigt – siehe Abbildung 2.
- Den R&G Kühlerschutz in Position bringen, indem Sie das Plastikgitter vom Kühler vorsichtig wegziehen und den Kühlerschutz von unten zwischen Kühler und Plastikgitter hochschieben – siehe Abbildung 3.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



- Wenn der R&G Kühlerschutz in der richtigen Position ist, führen Sie die Originalschraube durch die untere Halterung des Kühlerschutzes in die untere Halterung des Kühlers ein und befestigen Sie sie – siehe Abbildung 4.
- Die zwei Kabelbinder vom Kit durch die oberen Halterungen einführen und um die Halterung binden, wie in Abbildung 5 abgebildet.
- Überprüfen Sie, dass der Kühlerschutz ordnungsgemäß montiert ist ziehen Sie alle Schrauben gleichmäßig fest.
- Montieren Sie die vier Originalschrauben, um das Plastikgitter wieder am Kühler zu montieren.

AUSGABE 1 28/10/2013 (AR)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.