

<u>FITTING INSTRUCTIONS FOR MBP0024BK MIRROR BLANKING PLATE</u> KAWASAKI ZX-10R '16-



Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike The Parts shown may be representative only (for clarity of instructions only)

Please note that in cases where kits are packed with rubber washers holding the components onto the bolt – *the rubber washers should be thrown away!*

TOOLS REQUIRED

- 3 & 4mm A/F Allen key.
 - Phillips screwdriver.



Page | 1

Picture 1



Picture 2

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com







Picture 3



Picture 4



Picture 5



Picture 6



Picture 7

R&G Racing
Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ
Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com - 2 -



FITTING INSTRUCTIONS

Page | 3

- Remove the bolt and push rivet that secures the plastic cover in place on the top edge of the side fairing, as shown in pictures 1 & 2.
- Remove the plastic cover by pulling upwards to remove it from the mounting rubber and then rearwards to remove it from the bike, as shown in picture 3.
- Identify the indicator wiring and disconnect at the connector, as shown in picture 4. *Please note that disconnecting the front indicator may make the rear indicators flash twice as fast and may not be suitable for road use.*
- Remove the two bolts that secure the wing mirror in place on top of the front fairing, as shown in picture 5.
- Take one rubber grommet supplied in the kit and fit it into the oblong hole on the front fairing, as arrowed in picture 6 and shown in picture 7.
- Take one of the blanking plates supplied and fit into the recess on the front fairing where the mirror was fitted, before fitting the two plastic bolts supplied and tighten, as shown in picture 7.
- Re-fit the plastic cover using the OEM push rivet and bolt.
- Repeat the above for the opposite side.

ISSUE 1 22/02/2016 (AR)

Digital copies of these instructions are available to download from www.rg-racing.com

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing, All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



NOTI CE DE MONTAGE POUR MBP0024BK PLAQUE D'OBTURATION RETROVISEURS KAWASAKI ZX-10R '16-

Page | 4



La façon dont le kit est emballé ne correspond pas forcément à la façon de monter les pièces sur la moto.

LES PARTIES PRESENTEES PEUVENT ETRE UNIQUEMENT REPRESENTATIVES (POUR LA CLARTE DES INSTRUCTIONS UNIQUEMENT!

OUTILS REQUIS

- Clé Allen 3 & 4mm.
- Tournevis cruciforme.





Photo 2

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com







Photo 3



Photo 4



Photo 5



Photo 6



Photo 7

R&G Racing
Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ
Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com
- 5 -



NOTICE DE MONTAGE

Page | 6

- Enlever le boulon et le rivet qui fixent le cache plastique en position sur le bord supérieur du carénage latéral, voir photos 1 & 2.
- Enlever le cache plastique en tirant vers le haut pour l'enlever du joint de fixation puis vers l'arrière pour l'enlever de la moto, voir photo 3.
- Identifier le fil de clignotant et déconnecter le connecteur, voir photo 4. Notez que la déconnexion du clignotant avant pourrait faire s'allumer 2 fois les clignotants arrière et pourraient ne pas convenir pour une utilisation sur la voie publique.
- Enlever les 2 boulons qui fixent le rétroviseur en place sur le haut et à l'avant du carénage, voir photo 5.
- Prendre un joint en caoutchouc fourni dans le kit et placez le dans le trou oblong du carénage, voir photo 6 et 7.
- Prendre une des plaques d'obturation fournies et placez les dans le creux du carénage avant à l'endroit où le rétroviseur était fixé, avant d'insérer les 2 boulons fournis et de serrer, voir photo 7.
- Remonter le cache plastique à l'aide du rivet d'origine et du boulon.
- Répéter cette procédure de l'autre coté.

ISSUE 1 22/02/2016 (AR)

Notice disponible au téléchargement sur www.rg-racing.com

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.